



# OIL & LUBE TC-W3/GREASE

## TC-W3

### SIERRA "BLUE" PREMIUM TC-W3 2-CYCLE ENGINE OIL

Sierra TC-W3 is a high performance lubricant that has been manufactured and designed to meet and exceed all (Domestic & Import) engine manufacturers warranties. Exceeds JASO, ISO, API and NMMA, for advanced generation 2 cycle lubricants.

- ★ *Ideal for oil injection systems or pre-mix applications.*
- ★ *Optimum burnability for smokeless combustion. Runs cleaner, burns cleaner.*
- ★ *Significantly reduced aquatic toxicity to fish compared to other outboard oils on the market today.*
- ★ *Maximum lubrication and detergency allows engine to run smoother and more efficiently.*
- ★ *Reduces ring sticking, deposit formation and exhaust port blockage. Less friction allowing for easier starting.*
- ★ *Formulated to improve performance and extend engine life by reducing wear on critical engine components.*
- ★ *Ideal for today's high horsepower outboards that demand maximum performance.*
- ★ *Excellent performance with lower quality fuels.*
- ★ *Exceeds the industry standards established in 1997.*
- ★ *Graduated bottle and mixing ratio chart simplify pre-mixing.*
- ★ *Formulated for all PWC (Personal Water Craft), power equipment, and marine applications where TC-W3 is required.*
- ★ *Guaranteed and backed by our famous Sierra comprehensive warranty. (Will not void your engine manufacturer's warranty)*

**When looking for the best. . . look no further than Sierra "Blue" Premium TC-W3!**



Part No.	Description
18-9500-1	Pint (12 per case) (473ml)
18-9500-1P	84 case pallet (Pt.)
18-9500-2	Quart (12 per case) (946ml)
18-9500-2P	84 case pallet (Qt.)
18-9500-3	Gallon (6 per case) (3.78L)
18-9500-3P	36 case pallet (Ga.)
18-9500-4	2.5 Gallon (2 per case) (9.46L)
18-9500-4P	42 case pallet (2.5 Ga.)
18-9500-6	16 Gallons (60.5L)
18-9500-7	55 Gallons (208L)
18-9500-7P	4 - 55 Gallon drum pallet



Part No.	Description
18-9520-1	Pint (12 per case) (473ml)
18-9520-1P	84 case pallet (Pt.)
18-9520-2	Quart (12 per case) (964ml)
18-9520-2P	84 case pallet (Qt.)
18-9520-3	Gallon (6 per case) (3.78L)
18-9520-3P	36 case pallet (Ga.) (208L)
18-9520-7P	4 - 55 Gallon drum pallet

### SIERRA TC-W3 2-CYCLE ENGINE OIL

Manufactured to meet all industry basic requirements in both domestic and import engine applications.

- ★ *Meets the industry standards established in 1997.*
- ★ *Minimizes engine wear*
- ★ *Provides rust protection*
- ★ *Resists deposit formations*
- ★ *Provides excellent scuffing protection*

### 18-9730-1 WHITE LITHIUM SPRAY GREASE 12 Oz. (340g)

- ★ *Multi-purpose spray lubricant for Marine applications*
- ★ *Ideal for lubricating shift components and miscellaneous applications where a light grease lubricant is required*
- ★ *Water and heat resistant*
- ★ *Prevents corrosion*



### 18-9740-1 ENGINE ASSEMBLY GREASE 1 lb. Tub (453g)

- ★ *Formulated for all engine rebuilding needs and easy assembly*
- ★ *Delivers superior lubrication on metal to metal components, bearings and all other internal engine components*
- ★ *Dissipates in fuel under normal engine operation*



### PREMIUM MARINE BEARING GREASE

- ★ *Specifically formulated for marine applications*
- ★ *Premium lithium formulation for optimum corrosion protection in freshwater and saltwater applications*
- ★ *Ideal for marine trailer wheel bearing, universal joints, and outdrive pivot joints*

Part No.	Description
18-9710-0	10 Oz. Tube (283.5g) (12 per case)
18-9710-1	14 Oz. Cartridge (397g)
18-9710-2	1 Lb. Tub (453g)
18-9700-2*	3 Oz. (85.05g) Cartridge (Pkg. of 2)
18-9700-4*	3 Oz. (85.05g) Cartridge (Pkg. of 4)

\* Display Packaged



### 18-9200 AP# 13587 SPLINE GREASE

**Replaces: Mercury 92-81639A4**

Specialty grease used in the assembly of engine yokes and couplers

ACCESSORIES

# OIL & LUBE ENGINE OILS



ACCESSORIES

## 10W-30 4 STROKE MARINE OUTBOARD ENGINE OIL

**10W-30 4 STROKE MARINE OUTBOARD ENGINE OIL** is a highly refined petroleum product formulated with premium base stock and highly refined additives.

**Specifically formulated to meet or exceed the tough requirements of the Marine 4-Stroke motor manufacturers, Mercury, Yamaha, Johnson-Evinrude, Suzuki and Honda.**

- ★ Excellent anti-wear characteristics
- ★ Reduces friction
- ★ Formulated to offer maximum corrosion protection
- ★ Reduces sludge keeps engine cleaner for better efficiency
- ★ Low temperature viscosity offers better cold starting
- ★ Meets and exceeds quality performance API SJ, CF-2, CH-4
- ★ Guaranteed and backed by our famous Sierra comprehensive warranty. (Will not void your engine manufacturer's warranty)



18-9420-1

18-9420-2

18-9420-3

### SIERRA 10W30 4 STROKE MARINE OUTBOARD ENGINE OIL

Part No.	Mercury No.	Description	Case Qty.
18-9420-1	92-858607Q1	(450ml)	12
18-9420-2	92-802833Q1	Quart (946ml)	12
18-9420-3	92-802835Q1	Gallon (3.785L)	6
18-9420-7	92-802836A1	55 Gallons (208L)	

## 25W-40 4 STROKE MARINE STERN DRIVE ENGINE OIL

**25W-40 4 STROKE MARINE STERN DRIVE ENGINE OIL** has been formulated to provide excellent lubrication and corrosion protection. Stern drive and inboard engines operate under high load and running stresses. This product is developed for the marine environment and will out perform standard 4-cycle automotive engine oils. Sierra's 25W-40 oil offers excellent detergency, anti-oxidants, antiwear, and corrosion protection. The benefits to your engine are reduced wear to the internal components, protection of internal parts from corrosion, cleaner pistons, and prevention of ring sticking. Excellent low temperature operating properties. Meets or exceeds quality performance API SJ, CF-4, CH-4.

**Recommended for use in Mercruiser, OMC and Volvo Penta.**

- ★ Guaranteed and backed by our famous Sierra comprehensive warranty. (Will not void your engine manufacturer's warranty)



18-9400-2

18-9400-3

18-9400-4

### SIERRA 25W40 4 STROKE MARINE STERN DRIVE ENGINE OIL

Part No.	Mercruiser No.	Description	Case Qty.
18-9400-2	92-802837Q1	(32 oz.) (946ml)	12
18-9400-3	92-802839Q1	Gallon (3.785L)	6
18-9400-4	92-857389A1	5 Quart (4.7 L)	4
18-9400-7	92-802841A1	55 Gallons (208L)	

**18-52104**  
**PNEUMATIC OIL EXTRACTOR**

**For Quick, Easy & Clean Oil Changes**

- ★ This 8.8 Liter (2.3 Gallon) capacity air operated extractor can be used to remove a wide range of fluids, such as engine oil, brake fluid, antifreeze and more
- ★ Built-in shut-off valve to prevent overfilling
- ★ This unit can be used away from the air source by creating a vacuum, closing off both shut-off valves, then take to where it's needed
- ★ Comes complete with 5 feet of flexible hose, two rigid dipstick tubes, and a brake bleeding kit



**NEW**

**18-52204**  
**OIL EXTRACTOR PLUS**

**For Quick, Easy & Clean Oil Changes**

- ★ Large 8.8 Liter (2.3 Gallon) capacity not only can extract fluids, but is capable of dispensing too! Simply move the bi-directional valve and this unit will create a vacuum or move the valve the other direction and it creates pressure to dispense the fluid.
- ★ Built-in shut-off valve to prevent overfilling
- ★ Comes complete with 5 feet of flexible hose and two rigid dipstick tubes



**NEW**

**GEAR LUBE**



**SIERRA HI-PERFORMANCE "SYNTHETIC BLEND" LOWER UNIT GEAR LUBE**

- ★ *Synthetic blended marine formulation reduces operating friction for increased performance and protection of gears, bearings and other gear case components.*
- ★ *Recommended for use in high performance and high load operating conditions in both outboard and I/O lower unit.*
- ★ *Sierra Hi-Performance gear lube has been designed to surpass the performance of the O.E. Hi-Performance gear lubricants . . . for the finest product available demand Sierra Hi-Performance gear lube.*

Replaces: Mercury (Quicksilver) Hi-Performance Blend  
OMC (System Matched) Ultra-HPF Blend  
Yamaha (Yamalube) LUB-GEARL-11-00

Part No.	Description
<b>18-9650-0</b>	10 Oz. Tube (12 per case) (283.5g)
<b>18-9650-2</b>	Quart (12 per case) (946ml)
<b>18-9650-2P</b>	84 case pallet (Qt.)
<b>18-9650-5</b>	5 Gallons (18.95L)
<b>18-9650-5P</b>	36 - 5 Gallon container pallet
<b>18-9650-6</b>	16 Gallons (60.5L)
<b>18-9650-7</b>	55 Gallons (208L)
<b>18-9650-7P</b>	4-55 Gallon drum pallet

**SIERRA PREMIUM LOWER UNIT GEAR LUBE**

- ★ *Recommended for all general marine applications requiring a GL-5 class lubricant.*
- ★ *Ideal for replacing all old hypoid 90 application needs.*
- ★ *Formulated for use in freshwater or saltwater conditions and all standard marine applications.*
- ★ *Reduces friction and protects gears, bearings and other gearcase components.*

Replaces: Mercury (Quicksilver) Premium Blend  
OMC (System Matched) Hi-Vis Lubricant  
Yamaha (Yamalube) LUB-GEARL-11-04

Part No.	Description
<b>18-9600-0</b>	10 Oz. Tube (12 per case) (283.5g)
<b>18-9600-9</b>	Kit Contains: (1) <b>18-9786</b> and (2) <b>18-9600-0</b>
<b>18-9600-2</b>	Quart (12 per case) ( 946ml)
<b>18-9600-2P</b>	84 case pallet (Qt.)
<b>18-9600-5</b>	5 Gallons (18.95L)
<b>18-9600-5P</b>	36 - 5 Gallon container pallet
<b>18-9600-6</b>	16 Gallons (60.5L)
<b>18-9600-7</b>	55 Gallons (208L)
<b>18-9600-7P</b>	4 - 55 Gallon drum pallet

**SIERRA TYPE "C" GEAR LUBE**

- ★ *Formulated for older model outboards and I/O's equipped with electric shift.*
- ★ *Reduces friction and protects gears, bearings and other gearcase components.*

Replaces: OMC (System Matched) Premium Blend

Part No.	Description
<b>18-9620-0</b>	10 Oz. Tube (12 per case) (283.5g)
<b>18-9620-2</b>	Quart (12 per case) (946ml)
<b>18-9620-2P</b>	84 case pallet (Qt.)
<b>18-9620-5</b>	5 Gallons (18.95L)
<b>18-9620-5P</b>	36 - 5 Gallon container pallet